

teso track spots

range overview

by Carl Wilson








teso range

the teso basic series is suitable for commercial and retail applications. the clean lines of a track-recessed driver provides a clean minimalist look. being only 36mm in diameter the teso basic has a low aesthetic impact. high CRI and a tight colour consistency provides a high quality lighting result to compliment any architectural project.

the teso pro range takes commercial and retail applications to the next level, the clean lines of a track-recessed driver provides a clean minimalist look, being only 52mm in diameter the teso pro has a low aesthetic impact, high CRI and a tight colour consistency provides a high quality lighting result to compliment any architectural project plus the pro has an option for a wireless controlled adjustable beam angles.









teso basic mini


teso basic


teso pro

teso pro z









- 10W
- 3-circuit
- 48v available on request
- 15°,24°, or 36° optics
- CRI->90
- honeycomb or frosted lens


teso basic mini







teso basic


- 15W or 26W
- 3-circuit
- 15°,25°,40°,or 60
- CRI->90
- honeycomb or frosted lens
- non-dim, triac or DALI















- 21W
- 3-circuit
- 15°,25°,40°,or 60°
- CRI->90

- honeycomb louvre
- frosted lens
- low-glare snoot
- non-dim, triac, DALI, casambi


teso pro





teso pro z

- 21W
- 3-circuit
- adjust between 15°-60°
- CRI->90

- non-dim, triac, DALI,
 Casambi-dim
- manually adjust beam angle or via Casambi













3-circuit track

- black or white
- recessed or suspended
- T, L, or X connectors
- concealed joiners

contemporary minimalist design















teso basic 3-circuit







teso basic elliptical | teso pro z | all Casambi controlled









teso - coming soon

new options to include:

- gobo projector
- framing accessory



get in touch

Carl Wilson

0417-934-760

carl.wilson@verbatim.com.au



